

SAFETY DATA SHEET

EASY FIX

Page: 1

Compilation date: 27-08-2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EASY FIX

Product code: 3201-3211

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: ProPart International B.V.

Molenakker 3

Reuver

5953 TW

The Netherlands

Tel: +31 (0) 77 476 2368

Fax: +31 (0) 77 476 2424

Email: info@propart-international.com

1.4. Emergency telephone number

Emergency tel: +31 (0) 77 476 2368 (08.30-17.00)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: -: EUH208; -: EUH210

Most important adverse effects: Contains 2-Butanonoxim, Butaan-2-on-O,O,"(methylysilylidyn)trioxime. May produce an allergic reaction. Safety data sheet available on request.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains 2-Butanonoxim, Butaan-2-on-O,O,"(methylysilylidyn)trioxime. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: EASY FIX

SAFETY DATA SHEET

EASY FIX

Page: 2

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Product residues wipe gently with a soft, dry cloth. Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. If irritation persists consult a doctor.

Eye contact: Remove contact lenses. Bathe the eye with running water for 15 minutes. If irritation persists, consult a doctor. Do not rub.

Ingestion: Wash out mouth with water. Do not induce vomiting. Drink plenty of water and provide fresh air. Call a doctor immediately.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Move to fresh air in case of accidental inhalation of vapours. In case of complaints consult doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Water spray. Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of formaldehyde. Toxic gases.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Collect extinguishing water to prevent it from draining into the sewer system.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Ensure adequate ventilation. Avoid contact with eyes. Avoid prolonged or frequent skin contact. Spills on hard surface can present a serious slipping / falling hazard.

[cont...]

SAFETY DATA SHEET

EASY FIX

Page: 3

6.2. Environmental precautions

Environmental precautions: When leakage occurs, dam quantities. Stop leak if this is possible without hazard. Notify authorities if product enters sewers or public waters. Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Remains flush with plenty of water. Take in mechanical.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid direct contact with the substance. Eating, drinking, smoking and storing food is prohibited in workspace. Wash hands before breaks and at the end of workday. Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep dry. Protect from moisture.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

EASY FIX

Type	Exposure	Value	Population	Effect
-	Siliziumdioxide	-	-	-
DNEL	Inhalation	4 mg/m ³	Workers	Local
-	Calciumcarbonaat	-	-	-
DNEL	Inhalation	10 mg/m ³	Workers	Systemic
DNEL	Inhalation	10 mg/m ³	Consumers	Systemic
DNEL	Oral	6,1 mg/kg bw/day	Consumers	Systemic
DNEL	Oral	6,1 mg/kg bw/day	Consumers	Systemic

[cont...]

SAFETY DATA SHEET

EASY FIX

Page: 4

PNEC	Environment - waste water treatment plant	100 mg/l	-	-
------	---	----------	---	---

8.2. Exposure controls

Engineering measures: The usual precautionary measures are to be adhered to when handling chemicals. Ensure there is sufficient ventilation of the area. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at end of work. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Respiratory protection: Respiratory protection is not required under normal circumstances.

Hand protection: Chemical resistant protective gloves (EN 374). Butyl gloves. Nitrile gloves. PVC gloves. Recommended thickness >0,5 mm. Breakthrough time:> 480 min. Protective hand cream recommended. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of a suitable gloves does not only depend on the material, but also upon the quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to use. The exact break trough time has to be found out by the glove manufacturer; observed.

Eye protection: Safety glasses with side-shields. EN 166.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste

Colour: According to product specification.

Odour: Characteristic odour

Solubility in water: Insoluble

Viscosity: >20,5 mm²/s (40°C).

Melting point/range°C: <-40

Flash point°C: >100

pH: 7

VOC g/l: ~2,88 g/l

9.2. Other information

Other information: Density: 1,1 - 1,35 g/ml Flammability (solid, gas):> 440 ° C.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: No data available.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

[cont...]

SAFETY DATA SHEET

EASY FIX

Page: 5

10.3. Possibility of hazardous reactions

Hazardous reactions: No data available.

10.4. Conditions to avoid

Conditions to avoid: No data available.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable. Mechanical precipitation possible.

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: According to the recipe, contains no AOX. DOC-elimination (organic complexing) >= 80% / 28d: na.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Do not discharge into sewers or drains. In compliance with the local regulations disposed of by incineration. Hardened product: Can be disposed of with household waste.

Waste code number: 07 02 17

[cont...]

SAFETY DATA SHEET

EASY FIX

Page: 6

Disposal of packaging: Packagings empty completely before removing them. Uncontaminated packaging can be recycled. 15 01 02 Plastic Packaging.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No. 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.
EUH210: Safety data sheet available on request.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.