

SD370 SEALER SPRAY GRIJS

Page: 1

Compilation date: 16-10-2014

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SD370 SEALER SPRAY GRIJS

Product code: 3704/HSGRIJS

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

## 1.3. Details of the supplier of the safety data sheet

Company name: ProPart International B.V.

Molenakker 3

Reuver 5953 TW

The Netherlands

**Tel:** +31 (0) 77 476 2368 **Fax:** +31 (0) 77 476 2424

Email: info@propart-international.com

## 1.4. Emergency telephone number

Emergency tel: +31 (0) 77 476 2368 (08.30-17.00)

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**Classification under CHIP:** This product has no classification under CHIP. **Classification under CLP:** This product has no classification under CLP.

## 2.2. Label elements

Label elements: This product has no label elements.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **Hazardous ingredients:**

SD370 SEALER SPRAY GRIJS

Page: 2

#### (3-AMINOPROPYL)TRIMETHOXYSILANE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
237-511-5	13822-56-5	Xi: R36/38; Xi: R41	Skin Irrit. 2: H315; Eye Dam. 1: H318	3.000%

#### VINYLTRIMETHOXYSILANE

220-449-8	2768-02-7	-: R10; Xi: R36/37/38	Flam. Liq. 2: H225; Skin Irrit. 2: H315;	2.000%
			Eye Irrit. 2: H319	

# LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY

265-185-4	64742-82-1	Xn: R65; -: R10; N: R51/53	Asp. Tox. 1: H304; Flam. Liq. 3: H226;	1.375%
			Aquatic Chronic 2: H411	

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Bij aanhoudende irritatie een arts

raadplegen. If irritation persists, consult a doctor. Bei anhaltender Reizung einen Arzt

konsultieren. Si l'irritation persiste, consulter un médecin.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Consult a

doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. If unconscious and

breathing is OK, place in the recovery position. Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Keep under medical supervision for at least 48 hours.

#### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

SD370 SEALER SPRAY GRIJS

Page: 3

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

# 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Smoking is forbidden.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from direct

sunlight.

Suitable packaging: Must only be kept in original packaging.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Workplace exposure limits: No data available.

# **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Impermeable gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

SD370 SEALER SPRAY GRIJS

Page: 4

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Paste
Colour: Grev

Solubility in water: Insoluble
Flash point°C: >100

9.2. Other information

Other information: Density: 1,59 - 1,65 g/cm3 (23°C).

## Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No data available.

## Section 12: Ecological information

SD370 SEALER SPRAY GRIJS

Page: 5

#### 12.1. Toxicity

## **Ecotoxicity values:**

Species	Test	Value	Units
ALGAE	72H EC50	35,9	mg/l
Ceriodaphnia dubia	48H LC50	>10	mg/l
DAPHNIA	48H LC50	>10	mg/l
FISH	96H LC50	>1000000	μg/l
ALGAE	72H NOEC	10,1	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: No data available.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

#### 12.4. Mobility in soil

Mobility: No data available.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: No data available. Waterbezwaarlijkheid (NL) 11: Weinig schadelijk voor water levende

organismen. Contains substances that are hazardous to the aquatic environment.

Abatement effort: A.

## Section 13: Disposal considerations

# 13.1. Waste treatment methods

Waste code number: 08 04 10

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

## **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## SD370 SEALER SPRAY GRIJS

Page: 6

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

R10: Flammable.

R36/37/38: Irritating to eyes, respiratory system and skin.

R36/38: Irritating to eyes and skin.

R41: Risk of serious damage to eyes.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65: Harmful: may cause lung damage if swallowed.

**Legend to abbreviations:** PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

SD370 SEALER SPRAY GRIJS

Page: 7

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.