

SAFETY DATA SHEET
2K FAST FIX GRIJS 60SEC A

Page: 1

Compilation date: 08-12-2014

Revision date: 11-09-2014

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 2K FAST FIX GRIJS 60SEC A

Product code: 7003 (A)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: ProPart International B.V.

Molenakker 3

Reuver

5953 TW

The Netherlands

Tel: +31 (0) 77 476 2368

Fax: +31 (0) 77 476 2424

Email: info@propart-international.com

1.4. Emergency telephone number

Emergency tel: +31 (0) 77 476 2368 (08.30-17.00)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Classification under CHIP: This product has no classification under CHIP.

2.2. Label elements

Label elements under CLP:

Hazard statements: H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice/attention.

[cont...]

SAFETY DATA SHEET

2K FAST FIX GRIJS 60SEC A

Page: 2

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

GLYCERYL POLY(OXYPROPYLENE)TRIAMINE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	64852-22-8	-: R52/53; Xi: R38; Xi: R41	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335	2.500%

N-METHYL-2-PYRROLIDONE

212-828-1	872-50-4	T: R61; Xi: R36/37/38	Repr. 1B: H360D; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315	0.250%
-----------	----------	-----------------------	---	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Bij aanhoudende irritatie een arts raadplegen. If irritation persists, consult a doctor. Bei anhaltender Reizung einen Arzt konsultieren. Si l'irritation persiste, consulter un médecin.

Eye contact: Bathe the eye with running water for 15 minutes. Bij aanhoudende irritatie een arts raadplegen. If irritation persists, consult a doctor. Bei anhaltender Reizung einen Arzt konsultieren. Si l'irritation persiste, consulter un médecin.

Ingestion: Call a doctor immediately. Onmiddellijk een dokter waarschuwen. Appelez un docteur immédiatement. Rufen Sie sofort einen Arzt an. Induce vomiting only if indicated by the doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Bij klachten arts ontbieden. In case of complaints consult doctor. En cas de réclamation, consulter un médecin. Bei Beschwerden Arzt aufsuchen.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely. There may be irritation and pain.

Ingestion: There may be irritation of the throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Slight irritation of the lower and upper respiratory tract.

[cont...]

SAFETY DATA SHEET
2K FAST FIX GRIJS 60SEC A

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide. Alcohol resistant foam. Dry chemical powder. Water fog.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Keep away from direct sunlight. Prevent the build up of electrostatic charge in the immediate area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

[cont...]

SAFETY DATA SHEET
2K FAST FIX GRIJS 60SEC A

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

N-METHYL-2-PYRROLIDONE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	40 mg/m ³	80 mg/m ³	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory protection: Gas/vapour filter, type B: inorganic vapours excl. CO (EN141).

Hand protection: Protective gloves. Categorie III (ref. norm EN 374). Kies handschoenmateriaal rekening houdend met de penetratietijden, de permeatiegraden en de degradatie. De precieze penetratietijd kunt u te weten komen bij de handschoenfabrikant; houd er rekening mee.

Eye protection: Safety glasses with side-shields. Ensure eye bath is to hand.

Skin protection: Protective clothing. Categorie I (ref. EEG Richtlijn 89/686 en norm EN ISO 20344).

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Grey

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Insoluble

Viscosity: 7400 cps (25°C).

Boiling point/range°C: >200

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: 180

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: 0,13 Pa

Relative density: 103,000

pH: No data available.

VOC g/l: Richtlijn 1999/13/EG: 0,20% - 206,00 g/l

9.2. Other information

Other information: VOC (vluchtige koolstof) 0,12% - 124,68 g/l.

[cont...]

SAFETY DATA SHEET
2K FAST FIX GRIJS 60SEC A

Page: 5

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Sulfur and carbon disulfide. Oxidising agents. Rubber and plastic. Aluminium. Metals.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of nitrogen oxides. In combustion emits toxic fumes of carbon dioxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

N-METHYL-2-PYRROLIDONE

ORL	MUS	LD50	5130	mg/kg
ORL	RAT	LD50	7	gm/kg
SCU	RAT	LD50	>2	gm/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely. There may be irritation and pain.

Ingestion: There may be irritation of the throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Slight irritation of the lower and upper respiratory tract.

Section 12: Ecological information

12.1. Toxicity

[cont...]

SAFETY DATA SHEET
2K FAST FIX GRIJS 60SEC A

Page: 6

Ecotoxicity values:

Species	Test	Value	Units
CAS 64852-22-8	-	-	-
FISH	96H LC50	68	mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Uncleaned packagings: recommendation: Disposal according to official regulations.
Niet gereinigde verpakkingen: aanbeveling: Afvalverwijdering volgens overheidsbepalingen. Schmutzige Behälter: empfehlung: Entsorgung gemäß den behördlichen Vorschriften. Les emballages souillés: recommandation: évacuation conformément aux prescriptions légales.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by the supplier.

[cont...]

SAFETY DATA SHEET
2K FAST FIX GRIJS 60SEC A

Page: 7

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H360D: May damage the unborn child.

R36/37/38: Irritating to eyes, respiratory system and skin.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R61: May cause harm to the unborn child.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

[cont...]

SAFETY DATA SHEET

2K FAST FIX GRIJS 60SEC A

Page: 8

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.